

***Amendment to the Claims:***

**This listing of claims will replace all prior versions, and listings, of claims in the application.**

1. (Currently Amended) A coating composition comprising:  
  
a (meth) acrylic resin (A) having a hydroxyl group, which is obtained by copolymerizing a mixture having for its essential components a polycaprolactone-modified hydroxyalkyl (meth) acrylate and a different hydroxyl-group containing (meth) acrylate;  
  
a polyisocyanate compound (B) having a plurality of isocyanate groups per molecule; and  
  
a lactone ~~polyol~~ tetraol (C) having ~~three or more~~ four hydroxyl groups, and wherein the average molecular weight of the ~~polyol~~ lactone tetraol (C) is 350 to 1500;  
  
wherein the hydroxyl group of the hydroxyl group-containing (meth) acrylate is a primary hydroxyl group, the hydroxyl number of the (meth) acrylic resin (A) is 125 to 145 mg KOH/g and wherein the average value of the number of caprolactone repetitive units in the polycaprolactone-modified hydroxyalkyl (meth) acrylate is 2 to 3.
2. (Canceled)
3. (Previously Presented) The coating composition according to claim 1, wherein the polycaprolactone-modified hydroxyalkyl (meth) acrylate is a polycaprolactone-modified hydroxyalkyl acrylate.

4. (Previously Presented) The coating composition according to claim 1, wherein a monomer having a cyclic backbone is contained in the monomer mixture, and the monomer having a cyclic backbone is contained at 10% by mass or less in the monomer mixture.
5. (Canceled)
6. (Previously Presented) The coating composition according to claim 1, wherein the acid number of the (meth) acrylic resin (A) is 3 mg KOH/g or less.
7. (Currently Amended) A coated article comprising:  
a material having a surface with a coating including a (meth) acrylic resin (A) having a hydroxyl group, which is obtained by copolymerizing a mixture having for its essential components a polycaprolactone-modified hydroxyalkyl (meth) acrylate and a different hydroxyl-group containing (meth) acrylate, a polyisocyanate compound (B) having a plurality of isocyanate groups, and a lactone ~~polyol~~ tetraol (C) having ~~three or more~~ four hydroxyl groups per molecule;  
wherein the average molecular weight of the lactone ~~polyol~~ tetraol (C) is 350 to 1500,  
wherein the hydroxyl group of the hydroxyl group-containing (meth) acrylate is a primary hydroxyl group, the hydroxyl number of the (meth) acrylic resin (A) is 125 to 145 mg KOH/g, the average value of the number of caprolactone repetitive units in the polycaprolactone-modified hydroxyalkyl (meth) acrylate is 2 to 3 and curing to form a coated film on the surface of the coated material.

8. (Previously Presented) The coating composition according to claim 1, wherein the isocyanate groups of the polyisocyanate compound (B) are liberated isocyanate groups.
9. (Previously Presented) The coated article according to claim 7, wherein the isocyanate groups of the polyisocyanate compound (B) are liberated isocyanate groups.
10. (Previously Presented) The coated article according to claim 7, wherein the acid number of the (meth) acrylic resin (A) is 3 mg KOH/g or less.
11. (Canceled)
12. (Canceled)